

Author Index

- Ahmed M.: Determination of fisheries benefits from floodplain riverine systems in Bangladesh: a mathematical programming approach, 599
- Arieli Y., *see* Viola S.
- Arnason A.N., *see* Papst M.H.
- Arreguin-Sanchez F., Chavez E.A. & Menchaca J.A.: A multispecies stock assessment of a pelagic coastal fishery of the south-west Gulf of Mexico, 103
- Avnimelech Y., Diab S., Kochva M. & Mokady S.: Control and utilization of inorganic nitrogen in intensive fish culture ponds, 421
- Baer S., Haller R.D. & Freyvogel T.A.: Growth of the African lungfish, *Protopterus amphibius* Peter, in aquaculture, 265
- Barak N.A.-E. & Mason C.F.: Population density, growth and diet of eels, *Anguilla anguilla* L., in two rivers in eastern England, 59
- Bell J.D., *see* Quartararo N.
- Blackshaw A., *see* Thorogood J.
- Boccanera N., *see* Wallner M.
- Braume E., *see* Kohla U.
- Briggs M.R.P.: A stress test for determining vigour of post-larval *Penaeus monodon* Fabricius, 633
- Campbell R.N.B.: Food of an introduced population of pikeperch, *Sitostedion lucioperca* L., in Lake Egirdir, Turkey, 71
- Chang W.Y.B., *see* Springborn R.R.
see also Liu K.M.
- Chavez E.A., *see* Arreguin-Sanchez F.
- Chevassus B., *see* Krieg F.
- Chourrout D., *see* Foissil L.
- Cole W., *see* Phelps R.P.
- Cuende F.-X. & Prouzet P.: Comparison of Atlantic salmon, *Salmo salar* L., stocks exploited by commercial fisheries in the Adour Basin, France at the end of the 19th and 20th centuries, 373
- De Groot S.J.: Decline and fall of the salmon fisheries in the Netherlands: is restocking the Rhine a reality?, 253
- Degani G. & Gur N.: Growth of juvenile *Trichogaster leerii* (Bleeker, 1852) on diets with various protein levels, 161
- Dessypris A., *see* Pavlidis M.
- Diab S., *see* Avnimelech Y.
- Dick T.A., *see* Papst M.H.
- Dinis M.Y.: Aspects of the potential of *Solea senegalensis* Kaup for aquaculture: larval rearing and weaning to an artificial diet, 515
- Donaghy M.J., *see* Shackley P.E.
- Eddy F.B., *see* Williams E.M.
- El-Sayed A.-F.M.: Effects of substituting fish meal with *Azolla pinnata* in practical diets for fingerling and adult Nile tilapia, *Oreochromis niloticus* (L.), 167
- Elvingson P. & Sjaunja L.O.: Determination of fat, protein and dry matter content of fish by mid-infrared transmission spectroscopy, 453
- Engel C.E., *see* Papst M.H.
- Engle C., *see* Springborn R.R.
- Fagobenro O.A.: Utilization of cocoa-pod husk in low-cost diets by the clariid catfish, *Clarias isheriensis* Sydenham, 175
- Foissil L. & Chourrout D.: Chromosome doubling by pressure treatments for tetraploidy and mitotic gynogenesis in rainbow trout, *Oncorhynchus mykiss* (Walbaum): re-examination and improvements, 567
- Freyvogel T.A., *see* Baer S.
- Friebe J., *see* Kohla U.
- Fauvel C., Omnes M.H., Suquet M. & Normant Y.: Enhancement of the production of turbot, *Scophthalmus maximus* (L.), larvae by controlling over-ripening in mature females, 209
see also Suquet M.
- Garcia-Vazquez E., Pendas A.M. & Moran P.: Chromosome polymorphism in wild Atlantic salmon, *Salmo salar* L., from Asturias, northern Spain, 95
- Glass M.L., *see* Williams E.M.
- Grabowska K., *see* Wolfos A.
- Grau E.G., *see* Howerton R.D.
- Gropp J., *see* Kohla U.
- Gur N., *see* Degani G.
- Hain S.: Maintenance and culture of living benthic mollusc from high Antarctic shelf areas, 1
- Hales P.W., *see* Russell D.J.
- Haller R.D., *see* Baer S.
- Hansen T., Stefansson S. & Taranger G.L.: Growth and sexual maturation in Atlantic salmon, *Salmo salar* L., reared in sea cages at two different light regimes, 275
- Hasan M.R. & Macintosh D.J.: Optimum food particle size in relation to body size of common carp, *Cyprinus carpio* L., fry, 315
- Hay D.W., *see* Shackley P.E.
- Haylor G.S.: Controlled hatchery production of *Clarias gariepinus* (Burchell): growth and survival of larvae at high stocking density, 303
- Haylor G.S.: Terminology for the early development stages of the African catfish, *Clarias gariepinus* (Burchell): working definitions for aquaculture, 511
- Haylor G.S.: Controlled hatchery production of *Clarias gariepinus* (Burchell 1822): an investigation of tank design and water flow rate appropriate for *Clarias gariepinus* in hatcheries, 659
- Hecht T. & McEwan A.G.: Changes in gross protein and lipid requirements of rainbow trout, *Oncorhynchus mykiss* (Walbaum), at elevated temperatures, 133

- Heggberget T.G., see Lund R.A.
 Hegge O., see Hesthagen T.
 Heisbroek L.T.N. & Kreuger J.G.: Feeding and growth of glass eel, *Anguilla anguilla* L.: the effect of feeding stimulants on feed intake, energy metabolism and growth, 327
 Heisler N., see Williams E.M.
 Hesthagen T. & Hegge O.: Stranding of pond- and hatchery-reared juvenile brown trout, *Salmo trutta* L., during draw-down of a pond, 399
 Hilge V., see Kohla U.
 Hindar K. & L'Abée-Lund J.H.: Identification of hatchery-reared and naturally produced Atlantic salmon, *Salmo salar* L., juveniles based on examination of otoliths, 235
 Hislop J.R.G. & Webb J.H.: Escaped farmed Atlantic salmon, *Salmo salar* L., feeding in Scottish coastal water, 721
 Holm J. Chr., see Jaworski A.
 Howerton R.D., Okimoto D.K. & Grau E.G.: The effect of orally administered 17 α -methyltestosterone and 3,3'-triido-L-thyronine on growth of seawater-adapted tilapia, *Oreochromis mossambicus* (Peters), 123
 Hulata G., see Rosenstein S.
 Hvidsten N.A. & Johnsen B.O.: River bed construction: impact and habitat restoration for juvenile Atlantic salmon, *Salmo salar* L., and brown trout, *Salmo trutta* L., 489
 Jaworski A. & Holm J. Chr.: Distribution and structure of the population of sea lice, *Lepeophtheirus salmonis* Kroyer, on Atlantic salmon, *Salmo salar* L., under typical rearing conditions, 577
 Jensen A.L., see Springborn R.R.
 Johnsen B.O., see Hvidsten N.A.
 Johnstone R., see McLay H.A.
 Katz T., see Phelps R.P.
 Kavumpurath S. & Pandian T.J.: Effects of induced triploidy on aggressive display in the fighting fish, *Betta splendens* Regan, 281
 Kazakov R.V.: Distribution of Atlantic salmon, *Salmo salar* L., in freshwater bodies of Europe, 461
 Klaveness D.: Augmentation of the food supply for oyster larvae via bacterivorous flagellates: possible implications for larval breeding and oyster pond management, 591
 Kochva M., see Avnimelech Y.
 Kohla U., Saint-Paul V., Friebe J., Wernicke D., Hilge V., Braum E. & Gropp J.: Growth, digestive enzyme activities and hepatic glycogen levels in juvenile *Colossoma macropomum* Cuvier from South America during feeding, starvation and refeeding, 189
 Kreuger J.G., see Heisbroek L.T.N.
 Krieg F., Quillet E. & Chevassus B.: Brown trout, *Salmo trutta* L.: a new species for intensive marine aquaculture, 557
 Kristiansen T.S. & Svåsand T.: Comparative analysis of stomach contents of cultured and wild cod, *Gadus morhua* L., 661
 Kvasnička P., see Linhart O.
 L'Abée-Lund J.H., Sægrov H. & Lura H.: Resource partitioning and spatial segregation in native and stocked brown trout, *Salmo trutta* L., and Arctic charr, *Salvelinus alpinus* (L.), in a hydroelectric reservoir, 623
 see also Hindar K.
 Lahav E., see Viola S.
 Linhart O. & Kvasnička P.: Artificial insemination in tench, *Tinca tinca* L., 183
 Liu K.M. & Chang W.Y.B.: Bioenergetic modelling of effects of fertilization, stocking density, and spawning on growth of the Nile tilapia, *Oreochromis niloticus* (L.), 291
 Loba S., see Wallner M.
 Lund R.A. & Heggberget T.G.: Migration of Atlantic salmon, *Salmo salar* L., parr through a Norwegian fjord: potential infection path of *Gyrodactylus salaris*, 356
 Lura H., see L'Abée-Lund J.H.
 McEwan A.G., see Hecht T.
 Macintosh D.J., see Hasan M.R.
 McLay H.A., Youngson A.F., Wright R.S. & Johnstone R.: Effects of rearing density on sexual maturation and growth in sea-cage reared Atlantic salmon, *Salmo salar* L., 353
 Manyala J.O., see Ochumba P.B.O.
 Mason C.F., see Barak N.A.-E.
 Menchaca J.A., see Arreguin-Sanchez F.
 Mendes da Silva E., see Wallner M.
 Metcalf N.B., see Simpson A.L.
 Mokady S., see Avnimelech Y.
 Moore A. & Riley W.D.: A sexually mature female Atlantic salmon, *Salmo salar* L., smolt, 273
 Moran P., see Garcia-Vazquez E.
 Muoneke M.I.: Hooking mortality of white crappie, *Pomoxis annularis* Rafinesque, and spotted bass, *Micropterus punctulatus* (Rafinesque), in Texas reservoirs, 87
 Murphy B.R., see Neumann R.M.
 Nabeshima H., see Sugama K.
 Nagata W.D. & Whyte J.N.C.: Effects of yeast and algal diets on the growth and biochemical composition of the rotifer *Brachionus plicatilis* Muller in culture, 13
 Näslund I.: Survival and distribution of pond- and hatchery-reared O+ brown trout, *Salmo trutta* L., released in a Swedish stream, 477
 Neumann R.M. & Murphy B.R.: Seasonal relationships of relative weight to body composition in white crappie, *Pomoxis annularis* Rafinesque, 243
 Normant Y., see Fauvel C.
 see also Suquet M.
 Ochumba P.B.O. & Manyala J.O.: Distribution of fishes along the Sodu-Miriu River of Lake Victoria, Kenya with special reference to upstream migration, biology and yield, 701
 O'Connell M.F., see Reddin D.G.
 Okimoto D.K., see Howerton R.D.
 Omnes M.H., see Fauvel C.
 see also Suquet M.

- Pandian T.J., see Kavumpurath S.
- Papst M.H., Dick T.A., Arnason A.N. & Engel C.E.: Effect of density on the early growth and variation in growth of juvenile Arctic charr, *Salvelinus alpinus* (L.), 41
- Paschos J., see Pavlidis M.
- Pavlidis M., Theochari V., Paschos J. & Dessypris A.: Effect of six photoperiod protocols on the spawning time of two rainbow trout, *Oncorhynchus mykiss* (Walbaum), populations in north west Greece, 431
- Pendas A.M., see Garcia-Vazquez E.
- Phelps R.P., Cole W. & Katz T.: Effect of fluoxymesterone on sex ratio and growth of Nile tilapia, *Oreochromis niloticus* (L.), 405
- Pridmore R.D. & Rutherford J.C.: Modelling phytoplankton abundance in a small enclosed bay used for salmon farming, 525
- Prouzet P., see Cuende F.-X.
- Quartararo N. & Bell J.D.: Effect of intraperitoneal passive implantable transponder (PIT) tags on the growth and survival of juvenile snapper, *Pagrus auratus* (Bloch and Schneider), 543
- Quillet E., see Krieg F.
- Qvenild T., see Skurdal J.
- Reddin D.G., O'Connell M.F. & Dunkley D.A.: Assessment of an automated fish counter in a Canadian river, 113
- Riley W.D., see Moore A.
- Rosenstein S. & Hulata G.: Sex reversal in the genus *Oreochromis*: 1. Immersion of eggs and embryos in oestrogen solutions is ineffective, 669
- Rushton-Mellor S.K.: Discovery of the fish louse, *Argulus japonicus* Thiele (Crustacea: Branchiura), in Britain, 269
- Russell D.J. & Hales P.W.: Evaluation of techniques for marking juvenile barramundi, *Lates calcarifer* (Bloch), for stocking, 691
- Rutherford J.C., see Pridmore R.D.
- Sægrov H., see L'Abéc-Lund J.H.
- Saint-Paul U., see Kohla U.
- Seki S., see Sugama K.
- Shackley P.E., Donaghy M.J. & Hay D.W.: An experiment in the planting of Atlantic salmon, *Salmo salar* L., fry, 385
- Simpson A.L., Metcalf N.B. & Thorpe J.E.: A simple non-destructive method for estimating fat levels in Atlantic salmon, *Salmo salar* L., parr, 23
- Sjaunja L.O., see Elvingson P.
- Skurdal J., Qvenild T. & Taubøl T.: Mark-recapture experiments with noble crayfish, *Astacus astacus* L., in a Norwegian lake, 227
see also Taubøl T.
- Sommerville C., see Subasinghe R.P.
- Springborn R.R., Jensen A.L., Chang W.Y.B. & Engle C.: Optimum harvest time in aquaculture: an application of economic principles to a Nile tilapia, *Oreochromis niloticus* (L.), growth model, 639
- Stefansson S., see Hansen T.
- Subasinghe R.P. & Sommerville C.: Effects of temperature on hatchability, development and growth of eggs and yolk sac fry of *Oreochromis mossambicus* (Peters) under artificial incubation, 31
- Sugama K., Taniguchi N., Seki S. & Nabeshima H.: Survival, growth and gonad development of triploid red sea bream, *Pagrus major* (Temminck et Schlegel): use of allozyme markers for ploidy and family identification, 149
- Suquet M., Omnes M.H., Normant Y. & Fauvel C.: Influence of photoperiod, frequency of stripping and presence of females on sperm output in turbot, *Scophthalmus maximus* (L.), 217
see also Fauvel C.
- Svåsand T., see Kristiansen T.S.
- Taniguchi N., see Sugama K.
- Taranger G.L., see Hansen T.
- Taubøl T. & Skurdal J.: Growth, mortality and moulting rate of noble crayfish, *Astacus astacus* L., juveniles in aquaculture experiments, 411
see Skurdal J.
- Teodorowicz M., see Wołos A.
- Theochari V., see Pavlidis M.
- Thorogood J. & Blackshaw A.: Factors affecting the activation, motility and cryopreservation of the spermatozoa of the yellowfin bream, *Acanthopagrus australis* (Günther), 337
- Thorpe J.E., see Simpson A.L.
- Viola S., Lahav E. & Arieli Y.: Response of Israeli carp, *Cyprinus carpio* L., to lysine supplementation of a practical ration at varying conditions of fish size, temperature density and ration size, 49
- Wallner M., Lobo S., Bocanera N. & Mendes da Silva E.: Biomass, carrageenan yield and reproductive state of *Hypnea musciformis* (Rhodophyta: Gigartinales) under natural and experimental cultivated condition, 443
- Webb J.H. & Youngson A.F.: Reared Atlantic salmon, *Salmo salar* L., in catches of a salmon fishery on the western coast of Scotland, 393
see also Hislop J.R.G.
- Wernicke D., see Kohla U.
- Whyte J.N.C., see Nagata W.D.
- Williams E.M. & Eddy F.B.: Blood electrolyte and prolactin regulation in rainbow trout, *Oncorhynchus mykiss* (Walbaum), exposed to nitrite, 345
- Williams E.M., Glass M.L. & Heisler N.: Blood oxygen tension and content in carp, *Cyprinus carpio* L., during hypoxia and methaemoglobinemia, 679
- Wohlfarth G.W.: Association between initial weight and weight gain in brook trout, *Salvelinus fontinalis* Mitchell, and brown trout, *Salmo trutta* L., 549
- Wołos A., Teodorowicz M. & Grabowska K.: Effect of ground-baiting on anglers' catches and nutrient budget of water bodies as exemplified by Polish lakes, 499
- Wright R.S., see McLay H.A.
- Youngson A.F., see McLay H.A.
see also Webb J.H.

Subject Index

- Acanthopagrus australis*, see bream, 337
 Activation, bream spermatozoa, 337
 Alga, diet, growth of rotifers, 13
 Alloenzyme, markers, red sea bream, 149
 Analysis, stomach contents, cod, 661
Anguilla anguilla, see eel
 Antarctic, shelf, benthic mollusc culture, 1
 Aquaculture:
 brown trout, intensive marine, 557
 crayfish, 411
 definitions, 511
 lungfish, 265
 optimum harvest time, tilapia, 639
 potential for *Solea senegalensis*, 515
Argulus japonicus, see louse
 Artificial, diet, sole, 515
 Assessment:
 counter, automated, 113
 stock, multispecies pelagic coastal fishery, 103
Astacus astacus, see crayfish
 Automation, fish counter, assessment, 113
Azolla pinnata, diet for tilapia fingerling, 167

 Barramundi, techniques for marking juveniles, 691
 Bass, spotted, hooking mortality, 87
 Benefits, flood plain riverine systems, 599
 Benthic, mollusc, culture, 1
Betta splendens, see fighting fish
 Biochemistry, rotifer, 13
 Bioenergetic, modelling, tilapia, 291
 Biology, fishes along Kenyan river, 701
 Biomass, *Hypnea musciformis* production, 433
 Biometry, estimating fat in salmon, 23
 Blood:
 electrolyte, rainbow trout prolactin regulation, 345
 oxygen tension, carp, 679
 Book reviews:
 A Natural History of the Lakes, Tarns and Streams of the English Lake District, G. Fryer & S. Murphy, 726
 Coastal Aquaculture Engineering, A.N. Bose, S.N. Ghosh, C.T. Yang & A. Mitra, 130
 Eel Culture, 2nd Edn. A. Usui, 521
 Engineering for Offshore Fish Farming. Institution of Civil Engineers, 522
 Fish Evolution and Systematics: Evidence from Spermatozoa, B.G.M. Jamieson, 521
 Introduction to Aquaculture, M. Landau, 725
 Population Genetics: Diversity and Stability, Y.P. Altukhov, 725
 Scallop Farming, D. Hardy, 129
 The Biology of the Penaeidae, W. Dali, B.J. Hill, Rothsberg P.C. & Sharples D.J., 129
 Brachionus plicatilis, food on growth, 13
 Bream:
 alloenzyme markers, 149
 spermatozoa, factors affecting, 337

 Cage, sea, salmon growth, 275
 Carrageenan, yield, *Hypnea musciformes* production, 433

 Carp:
 common, food size and body size, 315
 Israeli, lysine supplement, 49
 Catch:
 ground-baiting, effect on, 499
 reared salmon, west coast Scotland, 292
 Catfish, clariid:
 development stages, terminology, 511
 low-cost diet, 175
 production, high stocking density, 303
 tank design, 649
 Charr, Arctic:
 rearing density on growth, 41
 resource partitioning and spatial segregation, reservoir, 623
 Chromosome:
 doubling, pressure treatments, rainbow trout, 567
 polymorphism, wild salmon, 95
Clarias gariepinus, see catfish
Clarias isheriensis, see catfish
 Cocoa-pod, husk, low cost diet for catfish, 175
 Cod, stomach contents analysis, 661
Colossoma macropomum, growth and feeding, 189
 Control:
 inorganic nitrogen, intensive fish culture ponds, 421
 production, catfish, 303, 649
 Cost, low, diet for catfish, 175
 Counter, automated, assessment, 113
 Crappie, white:
 hooking mortality, 87
 seasonal weight/body composition, 243
 Crayfish:
 development, 411
 mark-recapture experiments, 227
 Cryopreservation, bream sperm, 337
 Culture:
 benthic molluscs, Antarctic shelf, 1
 rotifer, diets, 13
Cyprinus carpio, see carp

 Density:
 bioenergetic modelling, tilapia, 291
 lysine ration supplement, carp, 49
 population, eel, 59
 rearing, Arctic charr, 41; salmon, 353
 stocking, catfish, 303
 Development:
 bream, red sea, 149
 catfish, early stages, terminology, 511
 tilapia, temperature effects, 31
 Diet:
 algal, rotifer growth, 13
 artificial, sole, 515
 Azolla pinnata for tilapia fingerling, 167
 eel, two English rivers, 59
 low-cost, catfish, 175
 lysine supplement, carp, 49
 Trichogaster, 161
 yeast, on rotifer growth, 13

- Display, aggressive, fighting fish triploidy, 281
- Distribution:
- fishes along Kenyan river, 701
 - salmon in fresh water, Europe, 461
 - sea lice on salmon under rearing conditions, 577
 - trout, brown, Swedish stream, 477
- Draw-down, stranding, trout, 399
- Dry matter, content, trout, 453
- Economic, principles, tilapia aquaculture, 639
- Egg, immersion in oestrogen solution, tilapia, 669
- Eel:
- diet, growth, density, 59
 - feeding stimulants, 327
- Egg, development, tilapia, 31
- Electrolyte, blood, trout prolactin regulation, 345
- Embryo, immersion in oestrogen solution, tilapia, 669
- Energy, metabolism, feeding stimulants, eels, 327
- Enzyme, digestive, *Colossoma macropomum*, 189
- Exploitation, salmon stocks, west coast, Scotland, 373
- Fat:
- determination, spectroscopy, trout, 453
 - estimation, salmon, 23
 - requirement, trout, rainbow, 133
- Fertilization, tilapia model, 291
- Fighting, fish, aggressive display, triploidy, 481
- Fingerling, tilapia, diet, 167
- Fishery:
- catches, reared salmon, west coast, Scotland, 292
 - coastal, pelagic, multispecies stock assessment, 103
 - decline, Netherlands, salmon, 253
- Flagellates, bacterivorous, oyster larvae breeding, 591
- Floodplain, riverine systems, benefits, 599
- Flow, rate, tank design, catfish, 649
- Fluoxymesterone, effects on tilapia, 405
- Food:
- algal diet on rotifer growth, 13
 - carp, food size and body size, 315
 - Colossoma macropomum*, 189
 - intake, feeding stimulants, eels, 327
 - oyster larvae breeding, 591
 - pikeperch, Turkish lake, 71
 - salmon, escaped, Scottish coastal water, 721
 - yeast diet on rotifer growth, 13
- Fry, salmon, planting experiment, 385
- Gadus morhua*, see cod
- Glycogen, hepatic, *Colossoma macropomum*, 189
- Gonad, development, red sea bream, 149
- Ground-baiting, effect on anglers' catches, 499
- Growth:
- Arctic charr, rearing density, 41
 - bream, red sea, 149
 - catfish, larvae, high stocking density, 303
 - Colossoma macropomum*, 189
 - crayfish, development, 411
 - eel, two English rivers, 59
 - feeding stimulants, eels, 327
 - lungfish aquaculture, 265
 - model, tilapia, 291, 639
 - rearing density, salmon, 353
 - rotifer, yeast and algal diets, 13
 - salmon, different light regimes, 275
 - snapper, effect of intraperitoneal tags on growth, 543
 - tilapia, temperature effects, 31; fluoxymesterone, 405
 - Trichogaster*, 161
 - Gynogenesis, mitotic, rainbow trout tetraploidy, 567
 - Gyrodactylus salaris*, infection path, salmon parr migration, 367
 - Habitat, restoration, impact on salmon and trout, 489
 - Harvest, optimum, tilapia growth model, 639
 - Hatchability, tilapia, temperature effects, 31
 - Hatchery:
 - controlled production, catfish, 303, 649
 - draw-down, trout stranding, 399
 - reared trout, distribution in Swedish stream, 477
 - rearing identified by otoliths, 235 - Hooking, mortality, white crappie, spotted bass, 87
 - Hypoxia, carp, blood oxygen tension, 679
 - Incubation, artificial, tilapia, development, 31
 - Infection, salmon parr, migrating through fluke infection path, 367
 - Insemination, artificial, tench, 183
 - Larvae, production:
 - catfish, 303
 - oyster, breeding, 591
 - sole, rearing and weaning, 515
 - turbot, 209 - Lates calcarifer*, see barramundi
 - Lepeophtheirus salmonis*, see sea louse
 - Light, regimes, salmon growth, 275
 - Lipid, requirements, rainbow trout, 133
 - Liver, glycogen, *Colossoma macropomum*, 189
 - Louse:
 - fish, Britain, 269
 - sea, on salmon under typical rearing conditions, 577 - Lungfish, African, aquaculture, 265
 - Lysine, supplement, carp ration, 49
 - Management, oyster pond, 591
 - Mark, recapture, crayfish, 227
 - Markers:
 - alloenzyme, for ploidy and family identification, 149
 - barramundi juveniles, 691 - Mathematical, programming approach to fisheries benefit, 599
 - Maturation sexual:
 - light regimes, salmon, 275
 - rearing density, 353 - Metabolism, eel, feeding stimulants, 327
 - Methaemoglobinaemia, carp, blood oxygen tension, 679
 - Methyltestosterone, growth of tilapia, 123
 - Micropterus punctulatus*, see bass, spotted
 - Migration:
 - fishes along Kenyan river, 701
 - salmon parr through fluke infection path, 367

- Model:
 bioenergetic, tilapia, 291
 growth, tilapia, 639
 phytoplankton abundance in small bay, 525
- Mollusc, benthic, culture, 1
 mortality:
 crayfish, in aquaculture experiments, 411
 hooking, white crappie, 87
- Motility, bream sperm, 337
- Moulting, crayfish, 411
- Multispecies, stock assessment, pelagic coastal fishery, 103
- Nitrite, trout electrolyte and prolactin regulation, 345
- Nitrogen, inorganic, utilization, intensive fish culture ponds, 421
- Nutrient, budget, Polish lakes, 499
- Oestrogen, sex reversal, tilapia, 669
Oncorhynchus mykiss, see trout rainbow, 133
- Oral, administration, growth hormones, tilapia, 123
Oreochromis mossambicus, see tilapia
Oreochromis niloticus, see tilapia
- Otolith, identification of hatchery-reared salmon, 235
- Oyster, pond management, 591
- Oxygen, blood tension, carp, 679
- Pagrus auratus*, see snapper
Pagrus major, see bream, red sea
- Parr, salmon:
 fat estimation, 23
 migration through fluke infection path, 367
- Pelagic, coastal fishery, multispecies stock assessment, 103
- Photoperiod:
 protocols, spawning time, trout, 431
 turbot sperm production, 217
- Phytoplankton, modelling, small bay, 525
- Pikeperch, food in Turkish lake, 71
- Planting, salmon fry, experiments, 385
- Ploidy, alloenzyme markers, red sea bream, 149
- Polymorphism, chromosome, wild Atlantic salmon, 95
Pomoxis annularis, see crappie, white,
- Pond:
 culture, intensive, utilization of inorganic nitrogen, 421
 oyster, management, 591
- Pond-reared trout:
 distribution in Swedish stream, 477
 stranding, draw-down, 399
- Population:
 density, eel, two English rivers, 59
 introduced, pikeperch, Turkish lake, 71
 sea lice, under typical salmon rearing conditions, 577
- Pressure, treatment, chromosome doubling, rainbow trout, 567
- Production:
 control, catfish, 303, 649
 turbot larvae, 209
- Programming, mathematical, fisheries benefits, 599
- Prolactin, regulation, trout, nitrate, 345
- Protein:
 changes with temperature, rainbow trout, 133
 determination, spectroscopy, trout, 453
 juvenile *Trichogaster leeri* growth, 161
- Protocols, photoperiod, trout spawning, 431
Protopterus amphibius, see lungfish
- Ration, size, carp, 49
- Rearing:
 condition, salmon, sea lice distribution, 577
 density, growth and development of salmon, 353
 larvae, sole, 515
- Recapture, marked crayfish, 227
- Regulation, prolactin, trout, nitrite, 345
- Reproductive, state, *Hypnea musciformes* production, 443
- Reservoir, resource partitioning, 623
- Resource, partitioning, hydroelectric reservoir, 623
- Restocking, Rhine, 253
- Restoration, habitat, impact on trout and salmon, 489
- Salmo trutta*, see trout, brown
- Salmo salar*, see salmon, Atlantic
- Salmon, Atlantic:
 chromosome polymorphism, 95
 distribution, fresh water, Europe, 461
 escaped, feeding in Scottish coastal waters, 721
 fat estimation, 23
 fisheries, decline, Netherlands, 253
 fry, planting experiments, 385
 growth, different light regimes, 275
 migration through fluke infection path, 367
 otolith, hatchery-rearing identification, 235
 phytoplankton modelling in small bay, 525
 reared, catches, west coast, Scotland, 393
 rearing density, growth and development, 353
 river bed construction, 489
 sea lice distribution, 577
 smolt, sexually mature female, 273
 stocks, exploitation, France, 373
- Salvelinus alpinus*, see charr, Arctic
Salvelinus fontinalis, see trout, brook
Scophthalmus maximus, see turbot
- Season, relationships, crappie weight/body composition, 243
- Segregation, spatial, trout and charr in reservoir, 623
- Sex:
 ratio, fluoxymesterone, effect on tilapia, 405
 reversal, tilapia, 669
- Size:
 body, food size, carp, 315
 food particle, body size, carp, 315
 lysine supplement, carp, 49
- Smolt, sexually mature female, 273
- Snapper, juvenile, survival with intraperitoneal tags, 543
- Sole, potential for aquaculture, 515
Solea senegalensis, see sole
- Spawning:
 bioenergetic model, tilapia, 291
 time, photoperiod, trout, 431
- Spectroscopy, mid-IR, trout muscle content, 453
- Sperm:
 bream, factors affecting, 337
 output, turbot, 217
- Starvation, *Colossoma macropomum*, 189

Stimulants, feeding, eels, 327

Sitostedion lucioperca, see pikeperch

Stock:

assessment, multispecies, pelagic coastal fishery, 103

catfish, 303

density, tilapia model, 291

exploitation, salmon, France, 373

techniques for marking juvenile barramundi, 691

Stomach, contents, wild and cultured cod, 661

Stripping, frequency, turbot sperm production, 217

Survival:

larvae, catfish, 303

red sea bream, 149

snapper, juvenile with intraperitoneal tags, 543

trout, Swedish stream, 477

Tank, design, catfish, 649

Technique, for marking juvenile barramundi, 691

Temperature:

carp, lysine supplementation, 49

tilapia development, 31

trout, diet requirements, 133

Tench, artificial insemination, 183

Terminology, early development catfish, 511

Tetraploidy, rainbow trout, 567

Tilapia:

bioenergetic modelling, 291

development, temperature effects, 31

diet, fingerling, 167

fluoxymesterone, tilapia development, 405

growth, hormone administration, oral, 123

model, growth, optimum harvest time, 639

Tinca tinca, see tench

Transponder, implantable, survival of snapper juveniles, 543

Trichogaster leeri, growth, protein diets, 161

Triido-L-thyronine, tilapia growth, 123

Triploidy:

fighting fish, aggressive display, 281

red sea bream, 149

Trout, brook, initial weight and weight gain, 549

Trout, brown:

marine aquaculture, 557

resource partitioning, hydroelectric reservoir, 623

river bed construction, 489

segregation, hydroelectric reservoir, 623

stranding in pond draw-down, 399

survival in Swedish stream, 477

weight initial and weight gain, 549

Trout, rainbow:

diet requirements at elevated temperatures, 133

muscle content, spectroscopy, mid-IR, 453

nitrite exposure, electrolyte and prolactin regulation, 345

photoperiod, spawning, 431

tetraploidy, 567

Turbot:

production, larvae, 209

sperm output, 217

Utilization, inorganic nitrogen, intensive fish culture ponds, 421

Variation, growth, charr, rearing density, 41

Weight:

gain, brook trout, 549

initial, weight gain, brook trout, 549

seasonal relationships, white crappie, 243

Yeast, diet, rotifer growth, 13

Yield:

carrageenan, *Hypnea musciformis*, 443

fishes in Kenyan river, 701

Yolk sac, fry, development, temperature effects, 31